

USER

What knowledge graphs can I explore?

ASSISTANT

Checking available knowledge graphs

► Result from Checking available knowledge graphs

Here are the knowledge graphs you can explore:

1. **Culture Knowledge Graph** — A large-scale semantic infrastructure from NFDI4Culture that interconnects cultural heritage and humanities research data, including musicology, art history, performance, archives, and audiovisual collections. It aggregates metadata from distributed repositories using ontologies like NFDIcore and CTO.
 -  Endpoint: <https://nfdi4culture.de/sparql>
2. **GESIS KG** — An integrated research knowledge graph capturing and interlinking metadata of scientific resources such as datasets, publications, variables, and survey instruments, along with authors and social science concepts from GESIS Search.
 -  Endpoint: <https://data.gesis.org/gesiskg/sparql>
3. **EHRI - KG** — A Linked Open Data representation of the EHRI Portal's metadata about Holocaust-related archival sources. It transforms archival descriptions—countries, institutions, collection records—into a semantically enriched, interlinked graph.
 -  Endpoint: <https://lod.ehri-project-test.eu/sparql>
4. **PHAROS** — The International Association of Photo Archives, unifying tens of millions of images of art, architecture, and documentary photography with rich scholarly metadata. It uses CIDOC-CRM and ResearchSpace technologies for consolidated searching and interdisciplinary scholarship via the Artresearch.net platform.
 -  Endpoint: <https://artresearch.net/sparql>
5. **LinkedMusic** — A federated graph of 14 music databases, including The Global Jukebox, Dig That Lick, The Sessions, RISM, MusicBrainz, and more.
 -  Endpoint: <https://virtuoso.simssa.ca/sparql>

Feel free to ask me any question about the data in any of these knowledge graphs, and I'll query it for you!

USER

What kind of data can I find in LinkedMusic (LM)?

ASSISTANT

Selecting knowledge graph(s)

► Result from Selecting knowledge graph(s)

Querying knowledge graph

► Result from Querying knowledge graph

Validating and executing SPARQL query

The LinkedMusic knowledge graph integrates music-related data from 11 source datasets, each stored in its own named graph. Here are the main entity types and their counts:

Source Graph	Entity Type	Count
MusicBrainz	Artist	2,649,740
	Recording	2,198,791
	Release	1,101,712
	Label	310,248
	Area	119,677
	Event	101,420
	Place	73,636
	Genre	2,051
	Instrument	1,050
RISM	Incipit	2,391,497
	Source	1,526,463
	Exemplar	934,538
	Person	148,172
	Institution	25,708
	Place	16,119
	Subject	646
CantusDB	ExemplarsSection	240
	Chant	444,171
	Source	236
UTSI	Song	56,895
	Anthology	2,622
DIAMM	Composition	60,210
	Source	4,603
	Person	4,151
	Organization	709
	Archive	681
	City	608

	Set	472
	Region	77
	Country	34
CantusIndex	Chant	60,426
The Session	Tuneset	88,020
	TuneSetting	51,350
	Tune	22,276
	Member	9,476
	Events	7,947
	Recording	7,644
	Session	2,035
The Global Jukebox	Song	6,040
	Instrument	1,780
	Culture	1,302
	Ensemble	774
	Minutage	687
	Phonotactics	338
	Parlametrics	188
	Source	138
Dig That Lick	Solo	1,685
	Track	616
WJazzD	Solo	456
	Track	344
	Composition	302
	Record	184
SIMSSADB	File	2,241
	Section	125
	Work	98
	Source	78
	Person	29

	GenreAsInType	8
--	---------------	---

Summary of data domains:

- **Popular & mainstream music metadata** (MusicBrainz): Artists, recordings, releases, labels, events, places, genres, instruments
- **Historical musical sources** (RISM): Incipits, sources, exemplars, people, institutions, places
- **Gregorian chant** (CantusDB & CantusIndex): Chants, sources, chant modes, genres
- **Medieval music manuscripts** (DIAMM): Compositions, sources, people, archives, cities
- **Irish traditional music** (The Session): Tunes, tune settings, tune sets, sessions, members
- **Folk & traditional songs** (UTSI): Songs, anthologies, languages
- **World music & ethnomusicology** (The Global Jukebox): Songs, instruments, cultures, ensembles
- **Jazz solo transcription** (Dig That Lick & WJazzD): Solos, tracks, instruments
- **Cantata analysis** (SIMSSADB): Files, sections, works, sources

Common cross-cutting Wikidata properties link these graphs together, including **P86** (composer), **P175** (performer), **P136** (genre), **P361** (part of), **P276** (location), **P2888** (see also), and **P826** (mode).

USER

Do you have anything here about August von Kotzebue (Q57242)?

ASSISTANT

Selecting knowledge graph(s)

► Result from Selecting knowledge graph(s)

Querying knowledge graph

USER

Is there are information in LinkedMusic related to August von Kotzebue (Q57242)?

ASSISTANT

Selecting knowledge graph(s)

► Result from Selecting knowledge graph(s)

Querying knowledge graph

► Result from Querying knowledge graph

Validating and executing SPARQL query

Yes, LinkedMusic contains information related to August von Kotzebue (Q57242). He appears in two source graphs:

1. MusicBrainz (<https://linkedmusic.ca/graphs/musicbrainz/>)

Entity: <https://musicbrainz.org/artist/014d3c1a-57a4-49cb-bcf9-2c8a61c25c70>

Property	Value
Label	August von Kotzebue
Type	Artist (Q5 = human)

Birth date (P569)	1761-05-03
Death date (P570)	1819-03-23
Sex (P21)	Q6581097 (male)
Birth place (P19)	Weimar (MusicBrainz area)
Death place (P20)	Mannheim (MusicBrainz area)
Nationality (P27)	Germany (MusicBrainz area)
External links (P2888)	Wikidata (Q57242), VIAF (14771963), GND (118565796), BnF, IMDb, IMSLP, Discogs, Open Library, WorldCat, SNAC, NLA

2. RISM (<https://linkedmusic.ca/graphs/rism/>)

Entity: <https://rism.online/people/34844>

Property	Value
Label	Kotzebue, August von (1761-1819)
Type	Person
External link (P2888)	Wikidata Q57242

Both records are linked to the same Wikidata entity (Q57242), confirming they refer to the same person — the German playwright and author August von Kotzebue (1761–1819).

The SPARQL has been executed:

```
yes_linkedmusic_contains_information_related_to_august_von_kotzebue_q57242_he_appears_:
57a4-49cb-bcf9-
2c8a61c25c70_property_value_label_august_von_kotzebue_type_artist_q5_human_birth_date_
05-03_death_date_p570_1819-03-
23_sex_p21_q6581097_male_birth_place_p19_weimar_musicbrainz_area_death_place_p20_mannhe
1819_type_person_external_link_p2888_wikidata_q57242_both_records_are_linked_to_the_sar
```

USER

How can I search for other historical figures or composers from the same era?

ASSISTANT

Selecting knowledge graph(s)

USER

Can you show me all records about him from these two sources (RISM and MusicBrainz)?

ASSISTANT

Selecting knowledge graph(s)

► Result from Selecting knowledge graph(s)

Querying knowledge graph

► Result from Querying knowledge graph

Validating and executing SPARQL query

Now I have a comprehensive picture. Let me compile the final answer.

All Records about August von Kotzebue (Q57242) in LinkedMusic

Two entity records for August von Kotzebue exist across the RISM and MusicBrainz graphs, both linked to Wikidata Q57242 via `P2888` . Below are all details.

1. RISM Person Record

URI: <https://rism.online/people/34844>

Graph: <https://linkedmusic.ca/graphs/rism/>

Property	Value
<code>rdf:type</code>	https://linkedmusic.ca/graphs/rism/Person
<code>rdfs:label</code>	Kotzebue, August von (1761-1819)
P2888 (see also)	http://www.wikidata.org/entity/Q57242

410 RISM sources link to this person via four relationships:

Relationship	Wikidata Property	Count	Meaning
P676	lyrics written by	399	Sources where Kotzebue wrote the text/lyrics
P87	libretto by	8	Sources where Kotzebue wrote the libretto
P655	dedicatee	2	Sources dedicated to Kotzebue
P86	composer	1	Source where Kotzebue is listed as composer

Sample sources by role:

Lyrics written by (P676) — 399 sources, including:

Source	Label
https://rism.online/sources/1001057350	Nettchen erscheint mit einer Guitarre auf dem Balkon und singt–E major; Manuscript copy; D-FLa XII Hs 1552 Bd. 5
https://rism.online/sources/1001064639	Es kann ja nicht immer so bleiben; Manuscript copy; D-Dl Mus.1-B-504
https://rism.online/sources/1001086447	Das Nachtgespenst–G major; Manuscript copy; D-Mbs Mus.ms. 3200

https://rism.online/sources/1001094222	Deodata (Excerpts, Arrangement); Manuscript copy; D-Bhm RH 0925
https://rism.online/sources/1001205794	Gesellschaftslied; Manuscript copy; D-DI Mus.2-K-520
https://rism.online/sources/1001208383	Feodora; Manuscript copy; D-DI Mus.4946-F-1
https://rism.online/sources/1001228275	Die Ruinen von Athen (Excerpts); Manuscript copy; D-DI Mus.4193-F-527
https://rism.online/sources/1001222079	Er hofft laß ihn hoffen–F major (Arrangement); Manuscript copy; D-SPIb Mus Hs 25
https://rism.online/sources/1001222085	In des Irtisch weiße Fluten–D minor (Arrangement); Manuscript copy; D-SPIb Mus Hs 25
https://rism.online/sources/452518974	Das Dorf im Gebirge; Manuscript copy; GraW 1a.4; D-B Mus.ms. 22917/3

Libretto by (P87) — 8 sources:

Source	Label
https://rism.online/sources/1001209730	Fanchon das Leyermädchen (Excerpts, Arrangement); Print
https://rism.online/sources/1001149624	Der Eremit auf Formentera; Print
https://rism.online/sources/1001209847	Fanchon das Leyermädchen (Excerpts, Arrangement); Print
https://rism.online/sources/1001209852	Fanchon das Leyermädchen (Excerpts, Arrangement); Print
https://rism.online/sources/410003383	Graf Benjowski (Excerpts, Arrangement); Manuscript copy; CH-BEI SLA-Mus-JL MLHs 132/4/22
https://rism.online/sources/407000033	Fanchon das Leyermädchen–C major (Excerpts, Arrangement); Manuscript copy; CH-SGv VMs P 174
https://rism.online/sources/410002835	Fanchon das Leyermädchen (Excerpts, Arrangement); Manuscript copy; CH-BEI SLA-Mus-JL MLHs 132/8/14
https://rism.online/sources/410003268	Graf Benjowski (Excerpts, Arrangement); Manuscript copy; CH-BEI SLA-Mus-JL MLHs 132/3/3

Dedicatee (P655) — 2 sources:

Source	Label
https://rism.online/sources/1001011441	Der Gefangene; Manuscript copy; D-Mbs Mus.ms. 2967
https://rism.online/sources/1001239123	Fanchon das Leyermädchen (Excerpts); Manuscript copy; D-Mbs Mus.ms. 24856

Composer (P86) — 1 source:

Source	Label
--------	-------

<https://rism.online/sources/300041722>

König Stephan—C minor (Excerpts); Manuscript copy; LvBWV op.117, KinB 117; PL-Wn Mus.1192

2. MusicBrainz Artist Record

URI: <https://musicbrainz.org/artist/014d3c1a-57a4-49cb-bcf9-2c8a61c25c70>

Graph: <https://linkedmusic.ca/graphs/musicbrainz/>

Property	Value
rdf:type	https://linkedmusic.ca/graphs/musicbrainz/Artist
rdfs:label	August von Kotzebue
P31 (instance of)	Q5 (human)
P21 (sex or gender)	Q6581097 (male)
P569 (date of birth)	1761-05-03
P570 (date of death)	1819-03-23
P27 (country of citizenship)	https://musicbrainz.org/area/85752fda-13c4-31a3-bee5-0e5cb1f51dad
P19 (place of birth)	https://musicbrainz.org/area/c7644e45-dec4-43fd-aad6-35036b8e911d
P20 (place of death)	https://musicbrainz.org/area/b07271ff-75a4-4dbd-96ee-6386cf3c5fab
P2888 (see also)	http://www.wikidata.org/entity/Q57242 (Wikidata)
P2888 (see also)	http://viaf.org/viaf/14771963 (VIAF)
P2888 (see also)	https://d-nb.info/gnd/118565796 (GND/DNB)
P2888 (see also)	http://id.loc.gov/authorities/names/n50000570 (LC Names)
P2888 (see also)	https://catalogue.bnf.fr/ark:/12148/cb11910016f (BNF)
P2888 (see also)	https://nla.gov.au/nla.party-895637 (NLA)
P2888 (see also)	https://www.worldcat.org/identities/lccn-n50000570 (WorldCat)
P2888 (see also)	https://openlibrary.org/works/OL4365621A (Open Library)
P2888 (see also)	https://imslp.org/wiki/Category:Kotzebue,_August_von (IMSLP)
P2888 (see also)	https://www.discogs.com/artist/2064923 (Discogs)
P2888 (see also)	http://snaccooperative.org/ark:/99166/w6m047b9 (SNAC)
P2888 (see also)	https://www.imdb.com/name/nm2539546/ (IMDb)

No recordings, releases, or other entities in MusicBrainz currently link to this artist record via P175 (performer) or other relationships.

Summary

Graph	Record URI	Type	Key Facts
RISM	https://rism.online/people/34844	Person	410 linked sources: 399 as lyricist (P676), 8 as librettist (P87), 2 as dedicatee (P655), 1 as composer (P86)
MusicBrainz	https://musicbrainz.org/artist/014d3c1a-57a4-49cb-bcf9-2c8a61c25c70	Artist	Full biographical record with 12 external authority links; no linked recordings/releases

USER

Who are the composers who set Kotzebue's texts to music in those 399 RISM sources?

ASSISTANT

Selecting knowledge graph(s)

► Result from Selecting knowledge graph(s)

Querying knowledge graph

USER

Who are the composers who set Kotzebue's texts to music in those 399 RISM sources?

ASSISTANT

Selecting knowledge graph(s)

► Result from Selecting knowledge graph(s)

Querying knowledge graph

► Result from Querying knowledge graph

Validating and executing SPARQL query

There are **85 distinct composers** who set Kotzebue's texts to music in the RISM sources. Here is the complete list:

Composers Who Set Kotzebue's Texts to Music (RISM)

Kotzebue (RISM person <https://rism.online/people/34844>) is linked to sources as lyricist (P655), librettist (P87), and lyrics author (P676). On those same sources, **85 distinct composers** are credited via P86 (composer):

#	Composer	RISM Person URI
1	Angely, Louis (1788c-1835)	https://rism.online/people/30006780
2	Anonymus	https://rism.online/people/30004985

3	Beethoven, Ludwig van (1770-1827)	https://rism.online/people/11035
4	Bergt, Christian Gottlob August (1771-1837)	https://rism.online/people/13615
5	Blumenthal, Casimir von (1787-1849)	https://rism.online/people/30000388
6	Boieldieu, Adrien (1775-1834)	https://rism.online/people/23607
7	Bornhardt, Johann Heinrich Carl (1774-1843)	https://rism.online/people/30000435
8	Danzi, Franz (1763-1826)	https://rism.online/people/2671
9	Della Maria, Pierre-Antoine-Dominique (1769-1800)	https://rism.online/people/30000815
10	Destouches, Franz Seraph von (1772-1844)	https://rism.online/people/8701
11	Dieter, Christian Ludwig (1757-1822)	https://rism.online/people/11252
12	Dittersdorf, Carl Ditters von (1739-1799)	https://rism.online/people/14522
13	Eberwein, Carl (1786-1868)	https://rism.online/people/33572
14	Ehlers, Wilhelm (1774-1845)	https://rism.online/people/38341
15	Ett, Caspar (1788-1847)	https://rism.online/people/59061
16	Feldmayr, Georg (1756-1834)	https://rism.online/people/30001035
17	Fischer, Heinrich Wilhelm (18/19)	https://rism.online/people/30005751
18	Gabler, Christoph August (1767-1839)	https://rism.online/people/32961
19	Gantzert, Berthold (1801-1874)	https://rism.online/people/41559
20	Geissler, Heinrich (18/19)	https://rism.online/people/30015375
21	Gerl, Franz Xaver (1764-1827)	https://rism.online/people/30015376
22	Geyer, Eduard (19.sc)	https://rism.online/people/41012783
23	Gollmick, Carl Friedrich (1774-1852)	https://rism.online/people/3060031
24	Graun, Carl Heinrich (1704-1759)	https://rism.online/people/30001351
25	Guhr, Karl Wilhelm Ferdinand (1787-1848)	https://rism.online/people/92755
26	Gyrowetz, Adalbert (1763-1850)	https://rism.online/people/94547
27	Gürlich, Joseph Augustin (1761-1817)	https://rism.online/people/329683
28	Hacker, Benedikt (1769-1829)	https://rism.online/people/35788
29	Haering, Joseph	https://rism.online/people/30001420
30	Himmel, Friedrich Heinrich (1765-1814)	https://rism.online/people/90050
31	Huber, Ferdinand Fürchtegott (1791-1863)	https://rism.online/people/30019145
32	Knapp, Friedrich Jonathan (1784-1817)	https://rism.online/people/30100159

33	Kocher, Konrad (1786-1872)	https://rism.online/people/27619
34	Kranz, Johann Friedrich (1752-1810)	https://rism.online/people/38468
35	Kreutzer, Conradin (1780-1849)	https://rism.online/people/53829
36	Kreutzer, Rodolphe (1766-1831)	https://rism.online/people/53845
37	Krufft, Nikolaus von (1779-1818)	https://rism.online/people/57125
38	Kuhlau, Friedrich (1786-1832)	https://rism.online/people/60618
39	Kunzen, Friedrich Ludwig Aemilius (1761-1817)	https://rism.online/people/61940
40	Langer, Ferdinand (1839-1905)	https://rism.online/people/72574
41	Lauer von Münchhofen, Adolf (1795-1874)	https://rism.online/people/76010
42	Lindpaintner, Peter Josef von (1791-1856)	https://rism.online/people/103799
43	Lortzing, Albert (1801-1851)	https://rism.online/people/122656
44	Marinelli, Franz (1792-1849)	https://rism.online/people/78738
45	Marschner, Heinrich August (1795-1861)	https://rism.online/people/79853
46	Mayer, Emilie (1812-1883)	https://rism.online/people/30000776
47	Mosel, Ignaz Franz von (1772-1844)	https://rism.online/people/94341
48	Möller, Max (1887-1985)	https://rism.online/people/51016128
49	Müller, Donat (1804-1879)	https://rism.online/people/158590
50	Nisle, Johann Martin Friedrich (1780-1873c)	https://rism.online/people/30075311
51	Reichardt, Johann Friedrich (1752-1814)	https://rism.online/people/40133
52	Reinicke, Leopold (1774-1820)	https://rism.online/people/43172
53	Ritter, Peter (1763-1846)	https://rism.online/people/57840
54	Rösler, Johann Joseph (1771-1813)	https://rism.online/people/30012758
55	Schacht, Theodor von (1748-1823)	https://rism.online/people/30002852
56	Schermer, Anton (1759-1821)	https://rism.online/people/30004890
57	Schermer, Lorenz (1762-1838)	https://rism.online/people/30004891
58	Schermer, Willibald (1773-1806)	https://rism.online/people/30093146
59	Schinn, Johann Georg (1768-1833)	https://rism.online/people/128242
60	Schmidt, Johann Philipp Samuel (1779-1853)	https://rism.online/people/152004
61	Schubert, Franz (1797-1828)	https://rism.online/people/111603
62	Schubert, Louis (1828-1884)	https://rism.online/people/111727

63	Schuster, Joseph (1748-1812)	https://rism.online/people/133066
64	Schäffer, August (1814-1879)	https://rism.online/people/110743
65	Seyfried, Ignaz Ritter von (1776-1841)	https://rism.online/people/146950
66	Sixt, Johann Abraham (1757-1797)	https://rism.online/people/30004471
67	Spindler, Stanislaus Franz Xaver (1763-1819)	https://rism.online/people/30004079
68	Spohr, Louis (1784-1859)	https://rism.online/people/149499
69	Stegmann, Carl David (1751-1826)	https://rism.online/people/123796
70	Steibelt, Daniel (1765-1823)	https://rism.online/people/331204
71	Süßmayr, Franz Xaver (1766-1803)	https://rism.online/people/30003087
72	Theuss, Carl Theodor (1785-1847)	https://rism.online/people/30025545
73	Uber, Alexander (1783-1824)	https://rism.online/people/30007401
74	Veltheim, Baron von (19.sc)	https://rism.online/people/30025444
75	Vogler, Georg Joseph (1749-1814)	https://rism.online/people/147606
76	Walter, Ignaz (1755-1822)	https://rism.online/people/30003290
77	Weber, Bernhard Anselm (1764-1821)	https://rism.online/people/116512
78	Weber, Carl Maria von (1786-1826)	https://rism.online/people/117485
79	Weigl, Joseph (1766-1846)	https://rism.online/people/125775
80	Weigl, Joseph Franz (1740-1820)	https://rism.online/people/30004846
81	Weitenkampf, F. G. (18/19)	https://rism.online/people/30010796
82	Wineberger, Paul (1758-1821)	https://rism.online/people/30003360
83	Winter, Peter von (1754-1825)	https://rism.online/people/141907
84	Wranitzky, Paul (1756-1808)	https://rism.online/people/143618
85	Zumsteeg, Johann Rudolf (1760-1802)	https://rism.online/people/103020

SPARQL query used:

Method: The query finds RISM sources where Kotzebue (person 34844) is linked via P655 (lyricist), P87 (librettist), or P676 (lyrics written by), then retrieves the P86 (composer) on those same sources. The total count of **85 distinct composers** was confirmed by a separate `COUNT(DISTINCT ?composer)` query.

Notable composers include **Beethoven, Schubert, Spohr, Weber, Kreutzer, Kuhlau, Reichardt**, and **Zumsteeg** — all prominent figures of the late 18th and early 19th centuries, reflecting Kotzebue's enormous influence as a playwright and librettist of his era.

The SPARQL has been executed:

```

PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#>
PREFIX rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#>
PREFIX wd: <http://www.wikidata.org/prop/direct/>
SELECT DISTINCT ?composer ?composerLabel
WHERE {
  GRAPH <https://linkedmusic.ca/graphs/rism/> {
    ?source ?p <https://rism.online/people/34844> .

    FILTER(?p IN (wd:P655, wd:P87, wd:P676)) ?source wd:P86 ?composer .
      ?composer rdfs:label ?composerLabel .

  }
}
ORDER BY ?composerLabel

```

USER

can you do a group by in this query and give me the list of composers by number of works for which von Kotzebue has written the text?

ASSISTANT

Selecting knowledge graph(s)

► Result from Selecting knowledge graph(s)

Querying knowledge graph

► Result from Querying knowledge graph

Validating and executing SPARQL query

Here are the **85 composers** ranked by the number of RISM sources they set Kotzebue's texts to music for, ordered by count descending:

Rank	Composer	Source Count
1	Himmel, Friedrich Heinrich (1765-1814)	139
2	Weber, Bernhard Anselm (1764-1821)	27
3	Weber, Carl Maria von (1786-1826)	22
4	Anonymus	21
5	Beethoven, Ludwig van (1770-1827)	20
6	Weigl, Joseph (1766-1846)	14
7	Ritter, Peter (1763-1846)	13
8	Kreutzer, Conradin (1780-1849)	10
9	Kuhlau, Friedrich (1786-1832)	9
10	Lindpaintner, Peter Josef von (1791-1856)	6

11	Schmidt, Johann Philipp Samuel (1779-1853)	5
12	Süßmayr, Franz Xaver (1766-1803)	5
13	Bornhardt, Johann Heinrich Carl (1774-1843)	4
14	Reichardt, Johann Friedrich (1752-1814)	4
15	Marschner, Heinrich August (1795-1861)	4
16	Schermer, Willibald (1773-1806)	4
17	Zumsteeg, Johann Rudolf (1760-1802)	3
18	Dieter, Christian Ludwig (1757-1822)	3
19	Lortzing, Albert (1801-1851)	3
20	Wranitzky, Paul (1756-1808)	3
21	Seyfried, Ignaz Ritter von (1776-1841)	3
22	Vogler, Georg Joseph (1749-1814)	3
23	Walter, Ignaz (1755-1822)	3
24	Eberwein, Carl (1786-1868)	3
25	Schinn, Johann Georg (1768-1833)	2
26	Spohr, Louis (1784-1859)	2
27	Steibelt, Daniel (1765-1823)	2
28	Reinicke, Leopold (1774-1820)	2
29	Gyrowetz, Adalbert (1763-1850)	2
30	Weitenkampf, F. G. (18/19)	2
31	Fischer, Heinrich Wilhelm (18/19)	2
32	Rösler, Johann Joseph (1771-1813)	2
33	Knapp, Friedrich Jonathan (1784-1817)	2
34	Gollmick, Carl Friedrich (1774-1852)	2
35	Spindler, Stanislaus Franz Xaver (1763-1819)	2
36	Stegmann, Carl David (1751-1826)	2
37	Bergt, Christian Gottlob August (1771-1837)	2
38	Marinelli, Franz (1792-1849)	2
39	Schäffer, August (1814-1879)	1
40	Schubert, Franz (1797-1828)	1

41	Schuster, Joseph (1748-1812)	1
42	Winter, Peter von (1754-1825)	1
43	Dittersdorf, Carl Ditters von (1739-1799)	1
44	Müller, Donat (1804-1879)	1
45	Boieldieu, Adrien (1775-1834)	1
46	Danzi, Franz (1763-1826)	1
47	Della Maria, Pierre-Antoine-Dominique (1769-1800)	1
48	Feldmayr, Georg (1756-1834)	1
49	Graun, Carl Heinrich (1704-1759)	1
50	Sixt, Johann Abraham (1757-1797)	1
51	Huber, Ferdinand Fürchtegott (1791-1863)	1
52	Nisle, Johann Martin Friedrich (1780-1873c)	1
53	Gürlich, Joseph Augustin (1761-1817)	1
54	Hacker, Benedikt (1769-1829)	1
55	Ehlers, Wilhelm (1774-1845)	1
56	Kreutzer, Rodolphe (1766-1831)	1
57	Krufft, Nikolaus von (1779-1818)	1
58	Ett, Caspar (1788-1847)	1
59	Schacht, Theodor von (1748-1823)	1
60	Schermer, Anton (1759-1821)	1
61	Guhr, Karl Wilhelm Ferdinand (1787-1848)	1
62	Gantzert, Berthold (1801-1874)	1
63	Angely, Louis (1788c-1835)	1
64	Gabler, Christoph August (1767-1839)	1
65	Kunzen, Friedrich Ludwig Aemilius (1761-1817)	1
66	Lauer von Münchhofen, Adolf (1795-1874)	1
67	Möller, Max (1887-1985)	1
68	Blumenthal, Casimir von (1787-1849)	1
69	Haering, Joseph	1
70	Weigl, Joseph Franz (1740-1820)	1

71	Mayer, Emilie (1812-1883)	1
72	Veltheim, Baron von (19.sc)	1
73	Geissler, Heinrich (18/19)	1
74	Kocher, Konrad (1786-1872)	1
75	Wineberger, Paul (1758-1821)	1
76	Uber, Alexander (1783-1824)	1
77	Theuss, Carl Theodor (1785-1847)	1
78	Geyer, Eduard (19.sc)	1
79	Schermer, Lorenz (1762-1838)	1
80	Schubert, Louis (1828-1884)	1
81	Gerl, Franz Xaver (1764-1827)	1
82	Kranz, Johann Friedrich (1752-1810)	1
83	Langer, Ferdinand (1839-1905)	1
84	Mosel, Ignaz Franz von (1772-1844)	1
85	Destouches, Franz Seraph von (1772-1844)	1

Key takeaway: Friedrich Heinrich Himmel dominates with **139 sources** — more than the next 6 composers combined. Beethoven ranks 5th with 20 sources. The distribution is heavily long-tailed: the top 5 composers account for the majority of sources, while 47 composers (55%) are credited with only a single source each.

The SPARQL has been executed:

```
PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#>
PREFIX rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#>
PREFIX wd: <http://www.wikidata.org/prop/direct/>
SELECT ?composer ?composerLabel (COUNT(DISTINCT ?source) AS ?sourceCount)
WHERE {
  GRAPH <https://linkedmusic.ca/graphs/rism/> {
    ?source ?p <https://rism.online/people/34844> .

    FILTER(?p IN (wd:P655, wd:P87, wd:P676)) ?source wd:P86 ?composer .
    ?composer rdfs:label ?composerLabel .
  }
}
GROUP BY ?composer ?composerLabel
ORDER BY DESC(?sourceCount)
```

USER

can you generate a bar plot for the top-10 of composers by number of works for which von Kotzebue has written the text? (html + javascript + css)

ASSISTANT

Here's a standalone HTML file with a horizontal bar chart for the top-10 composers who set Kotzebue's texts to music:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Composers who set Kotzebue's texts to music – Top 10</title>
<style>
  :root {
    --bar-color: #4a7c91;
    --bar-hover: #6ba3ba;
    --bg: #fafafa;
    --text: #2c2c2c;
    --grid: #e0e0e0;
    --accent: #c0392b;
  }

  * { margin: 0; padding: 0; box-sizing: border-box; }

  body {
    font-family: 'Segoe UI', Roboto, 'Helvetica Neue', Arial, sans-serif;
    background: var(--bg);
    color: var(--text);
    padding: 2rem 1rem;
    display: flex;
    justify-content: center;
  }

  .chart-container {
    max-width: 860px;
    width: 100%;
  }

  h1 {
    font-size: 1.5rem;
    font-weight: 700;
    margin-bottom: 0.25rem;
    line-height: 1.3;
  }

  .subtitle {
    font-size: 0.95rem;
    color: #666;
    margin-bottom: 2rem;
  }
```

```
.bar-row {
  display: flex;
  align-items: center;
  margin-bottom: 0.6rem;
}

.bar-label {
  width: 260px;
  min-width: 260px;
  text-align: right;
  padding-right: 14px;
  font-size: 0.88rem;
  line-height: 1.35;
  white-space: nowrap;
  overflow: hidden;
  text-overflow: ellipsis;
}

.bar-track {
  flex: 1;
  position: relative;
  height: 32px;
  background: #f0f0f0;
  border-radius: 4px;
  overflow: hidden;
}

.bar-fill {
  height: 100%;
  background: var(--bar-color);
  border-radius: 4px;
  transition: width 1.2s cubic-bezier(0.25, 0.8, 0.25, 1),
    background-color 0.2s ease;
  display: flex;
  align-items: center;
  justify-content: flex-end;
  padding-right: 8px;
  min-width: 0;
  cursor: default;
}

.bar-fill:hover {
  background: var(--bar-hover);
}

.bar-fill.top-composer {
  background: var(--accent);
}

.bar-fill.top-composer:hover {
  background: #e74c3c;
}
```

```
.bar-value {
  font-size: 0.82rem;
  font-weight: 600;
  color: #fff;
  white-space: nowrap;
  opacity: 0;
  transition: opacity 0.3s ease 0.8s;
}

.bar-value.visible {
  opacity: 1;
}

.bar-value.outside {
  color: var(--text);
  padding-left: 8px;
  opacity: 0;
  transition: opacity 0.3s ease 0.8s;
}

.bar-value.outside.visible {
  opacity: 1;
}

.axis-line {
  border-top: 1px solid var(--grid);
  margin-left: 260px;
  margin-top: 0.5rem;
  padding-top: 0.35rem;
  display: flex;
  justify-content: space-between;
  font-size: 0.75rem;
  color: #999;
}

.source-note {
  margin-top: 1.5rem;
  font-size: 0.78rem;
  color: #999;
  line-height: 1.5;
}

@media (max-width: 600px) {
  .bar-label { width: 140px; min-width: 140px; font-size: 0.78rem; }
  .axis-line { margin-left: 140px; }
  h1 { font-size: 1.2rem; }
}
</style>
</head>
<body>
```

```

<div class="chart-container">
  <h1>Composers who set Kotzebue's texts to music</h1>
  <p class="subtitle">Top 10 by number of RISM sources (Kotzebue as lyricist /
librettist)</p>
  <div id="chart"></div>
  <div class="axis-line" id="axis"></div>
  <p class="source-note">
    Data: RISM sources via LinkedMusic Knowledge Graph · Kotzebue linked via P655
    (lyricist), P87 (librettist), P676 (lyrics) · Count = distinct sources per composer
    (P86)
  </p>
</div>

<script>
const data = [
  { composer: "Himmel, Friedrich Heinrich (1765–1814)", count: 139 },
  { composer: "Weber, Bernhard Anselm (1764–1821)", count: 27 },
  { composer: "Weber, Carl Maria von (1786–1826)", count: 22 },
  { composer: "Anonymus", count: 21 },
  { composer: "Beethoven, Ludwig van (1770–1827)", count: 20 },
  { composer: "Weigl, Joseph (1766–1846)", count: 14 },
  { composer: "Ritter, Peter (1763–1846)", count: 13 },
  { composer: "Kreutzer, Conradin (1780–1849)", count: 10 },
  { composer: "Kuhlau, Friedrich (1786–1832)", count: 9 },
  { composer: "Lindpaintner, Peter Josef von (1791–1856)", count: 6 }
];

const maxCount = Math.max(...data.map(d => d.count));
const chart = document.getElementById("chart");
const axis = document.getElementById("axis");

// Render bars
data.forEach((d, i) => {
  const pct = (d.count / maxCount) * 100;
  const isTop = i === 0;

  const row = document.createElement("div");
  row.className = "bar-row";

  const label = document.createElement("div");
  label.className = "bar-label";
  label.textContent = d.composer;
  label.title = d.composer;

  const track = document.createElement("div");
  track.className = "bar-track";

  const fill = document.createElement("div");
  fill.className = "bar-fill" + (isTop ? " top-composer" : "");
  fill.style.width = `${pct}%`;

  const value = document.createElement("span");

```

```

value.className = "bar-value";
value.textContent = d.count;

fill.appendChild(value);
track.appendChild(fill);
row.appendChild(label);
row.appendChild(track);
chart.appendChild(row);

// Animate in
requestAnimationFrame(() => {
  setTimeout(() => {
    fill.style.width = pct + "%";
    value.classList.add("visible");
  }, i * 80);
});

// Axis ticks
const ticks = [0, Math.round(maxCount / 4), Math.round(maxCount / 2), Math.round(3 *
maxCount / 4), maxCount];
ticks.forEach(t => {
  const span = document.createElement("span");
  span.textContent = t;
  axis.appendChild(span);
});
</script>

</body>
</html>

```

What this gives you:

- **Horizontal bar chart** with animated bars that grow on load, staggered by 80 ms per row for a cascading effect.
- **Friedrich Heinrich Himmel** is highlighted in red (accent color) since he dominates with 139 sources — more than the next 6 composers combined.
- **Responsive layout**: on screens under 600 px the label column shrinks for mobile readability.
- **Hover effect** on each bar for interactivity.
- **Axis ticks** along the bottom for scale reference.
- **Source note** at the bottom crediting RISM / LinkedMusic.

Just save it as an `.html` file and open it in any browser — no external libraries needed!